## **DEC INTERNATIONAL TECHNICAL SPECIFICATIONS**





# ALUDEC 245 LAMINATED DUCTING

ALUDEC 245 ducts are flexible, strong laminate ducts for various purposes. The ducts consist of several layers of aluminium and polyester, with a high tensile steel spiral helix enclosed between the layers. The duct can be attached to round and oval connection parts without any problems. The fire resistance of the ALUDEC 245 ducts has been tested in several countries, according to current international standards. Because of the "sandwich construction", the different layers of polyester and aluminium are overlapping each other completely. In case of fire, the system is able to function longer.

## **APPLICATION**

General air supply systems, without special demands

DA245{Ø}

-30 °C to 140 °C

up to +2500 Pa

max. 30 m/s

min. 0.58 x Ø

10 mtr

5

082 - 508 mm

3 à 7 microns

45 microns (excl. adhesive)

Aluminium

18mm

2 à 12 microns

Air conditioning systems, without special demands

### SPECIFICATIONS

Article code: Temperature range: Operating pressure: Operating air velocity: Bending radius: Standard diameter range: Standard length:

## CONSTRUCTION

## Total layers: of aluminium:

of polyester: Total thickness:


Wire spacing: Appearance:

## **CLASSIFICATIONS**

EU (EN 13501-1): UK (BS476): FR (NF): Marine certified MED

B-s1,d0 Part 6, 7 and 20 Μ1  $( \circ )$ 

## PRESSURE LOSS (STRAIGHT DUCT)



The ALUDEC 245 fulfills all the requirements and are classified as specified within EN 13180: Ventilation for buildings – Ductwork - Dimensions and mechanical requirements for flexible ducts.

## **Determination of the acute toxicity:**

Stated by the "Institut für Arbeitsmedizin" of the medical faculty of the technical university of Aken. Under the supervision of prof. dr. med. H.J. Einbrodt (specialist) classified as "non toxic".

## **Reach/RoHs Compliant**

TÜVRheinland® Directive 2011/65/EU RoHS LGAD Phthalates according to 1907/2006/EC REACH Test result: Pass - The test items meets the requirements of the test specification

## LIABILITY:

The information contained in this brochure was current on the publication date. DEC INTERNATIONAL reserves the right to make publication data been international transferred market of market of market of avoid misunderstandings, any interested party is advised to contact DEC INTERNATIONAL checking for any changes in materials and/or information after this brochure was published. 15/6/2022

#### PLEASE NOTICE:

The consultant is responsible for the actual installation and The consultant is responsible for the actual instaliation and mounting of the product. The mentioned values with respect to temperatures are not appropriate to be used to determine the physical properties. These properties are also dependent on humidity and the temperature of the air inside and outside of the H.V.A.C. system. DEC INTERNATIONAL - P.O. BOX 35 - NL-7500AA - ENSCHEDE

#### TRADEMARKS:

DEC the loao and ALUDEC ALUDEC, the DEC logs and DEC International are trademarks, or registered trademarks of Dutch Environment Corporation BV in the Netherlands and/or other countri THE NETHERLANDS - WWW.DECINTERNATIONAL.COM

RESTRICTIONS: The ALUDEC ducts are not suitable for discharging combustion products from open fireplaces and oil-fired boilers. Neither are the ALUDEC ducts suitable for transporting air with concentration of acid and base a high